

HIGH PERFORMANCE AIR & MOISTURE BARRIERS







Protection


Keeps Basements Dry.

Dry and comfortable basements sell more homes

DELTA®-MS

The high performance air-gap membrane that keeps basements dry and mold-free.

Uniquely shaped air-gap membrane drains water away, protecting foundation walls from moisture.





Protect your reputation. Don't rely on ordinary dampproofing.

Keeping foundations dry is important to avoiding costly repairs and damage to your reputation as a builder. Most foundation problems are related to unwanted moisture.

The Problem

Basements that are built to just meet code requirements are often damp and moldy. If the basement is to be a useable living space, proper moisture protection is necessary.

The Solution


DELTA[®]-MS provides reliable protection for permanently dry basements, keeping moisture away from foundation walls. Air-gap Technology membrane allows incidental moisture that does get past to drain harmlessly to the footer drain. DELTA[®]-MS is tough and durable. It keeps basements dry and comfortable even when the concrete foundation wall cracks – something asphaltic dampproofing spray can't do.

Dry and comfortable basements are a selling point

Builders who build a better foundation have a strong point of differentiation from other builders, helping sell more homes.

Homebuyers are concerned about water in the basement of their new home. They rely on the expertise of the builder to keep their basement dry and comfortable.

Today's homebuyers do their research before buying a new home. While many will look for granite countertops and other visible amenities, they also realize that a reliably dry and comfortable basement makes a truly high quality home. Homebuyers will know that basements protected by DELTA®-MS are better, leak-free basements. Knowing that they are better built, homebuyers will purchase their new home with confidence.



- Available in many sizes for easy installation on various foundation heights
- Protects foundation from ground water with two lines of defense:
 Dimple sheet provides capillary break
 - Air-gap allows incidental water to freely drain by gravity
- Eliminates interior dampness and musty odors
- Reliably bridges foundation cracks and deflects soil moisture, unlike asphaltic sprays
- Continues to function even if foundation shifts or cracks
- No unpleasant chemical odors or harmful VOC's
- Resists damage from backfill, like rocks and debris
- High compressive strength of dimples resists soil pressure
- Durable plastic, 100 % recycled HDPE core encased by virgin HDPE
- Installs in all types of weather

DELTA[®]-Accessories for delta[®]-MS.

Dörken makes your life easier – systematically.



DELTA-MS forw delform of the

DELTA®-FAST'ner multistud fastener for secure attachment of DELTA®-MS.

DELTA®-FLASH angled flashing used at top of flat tab.



DELTA®-MOLDSTRIP molding used around window cut-outs and at grade level/changes.



DELTA®-SEALANT elastic sealing compound used at overlaps and penetrations.







Dörken Systems Inc. 4655 Delta Way Beamsville, ON LOR 1B4, Canada Tel.: +1 (905) 563 3255 Fax: +1 (905) 563 5582 info@dorken.com www.dorken.com

A DÖRKENGROUP company

The information printed in this brochure reflects product information and specifications at the date of printing. The manufacturer reserves the right to make changes when necessary. All rights reserved.

DELTA®-branded quality products manufactured by Dörken.

Visit us on:





